920.326.5193 Randolph 608.251.4318 Madison 800.321.5193 Toll Free

563.203.0182 Cresco, IA

920.326.5209 Fax



P.O. Box 150 Randolph, WI 53956

December 20, 2013

Dave Johnson
Wisconsin Department of Natural Resources
Private Water Systems Section
Bureau of Drinking Water and Ground Water
101 S Webster Street
P.O. Box 7921
Madison, WI 53707-7921



RE: High Capacity Well Application for Larry Hefty, N5467 West Hill Road, Rio, Wisconsin, Town of Wyocena, Columbia County.

Dear Dave:

On behalf of Larry Hefty, Sam's Well Drilling, Inc., proposes to construct a high-capacity well at the above mentioned address. The well will be used for Irrigation purposes. The enclosed application is for this well.

There is one other residential well and one other irrigation well on the property at this time. I have included the Well Construction Reports for these wells with this correspondence. If you have any questions regarding this project, please contact me at (920) 326-5193.

Sincerely,

SAM'S WELL DRILLING, INC.

Jeff Kramer, P.G.

Hydrogeologist

Agent authorized to submit this application on behalf of the property owner, Larry Hefty.

www.samswelldrilling.com

State of Wisconsin Department of Natural Resources Private Water Systems Section - DG/2

# High Capacity, School or Wastewater Treatment Plant Well Approval Application Form 3300-256 (R 7/05)

Notice: Prior department approval is required for the construction, reconstruction or operation of a high capacity well or system of high capacity wells, a school well or a wastewater treatment plant well in accordance with Section NR 812.09(4)(a), Wisconsin Administrative Code. Personally identifiable information collected on this form, including such data as your name, address and phone number, will be used for management of department and is unlikely to be used for other numbers. This information will be addressed and phone number. information collected on this form, including such data as your name, address and phone number, will be used for management of department programs and is unlikely to be used for other purposes. This information will be addressable under Wisconsin's Open Records Laws, ss. 19.32 - 19.39, Wis. Stats.

Use this form to request an approval for installation of a well or wells on a high capacity property, seek approval to make other changes to a high capacity property or to modify a well on a high capacity property, as required by NR 812.09(4)(a), Wisconsin Administrative Code. Refer to definitions of high capacity well, high capacity property and high capacity well system on page 5.

This form is not intended to be used when seeking approval for construction or modification of wells serving water systems regulated under ch. NR 811, Wis. Adm. Code. Any water system serving 7 or more homes, 10 or more mobile homes, 10 or more aparlments, 10 or more condominiums, or 10 or more duplexes is regulated under ch. NR 811, Wis. Adm. Code. See NR 811.01, Wis. Adm. Code for applicability requirements.

Company				
	DRILLING			
City	State ZIP Code			
KANDOLPH	WI 53956			
E-IVIAII Address	s			
326-5209 JEFFK	DSAMS WELL DRILLING, CO			
on and Title) Company				
City	State ZIP Code			
R.IO	101. 53960			
E-Mail Addres	SS			
LHEFT	YO, SENECA FOODS, COM			
nd Title) Company				
City	State ZIP Code			
1º210	101 53960			
	1@ SENECAFOODS, COM			
0.10 1.				
and its already a high consolity property. If the	o propedy is not designated as a high canacity			
Find the file number in upper right hand corner	r of the most recent high capacity well approval			
sued to drillers and numb installers. On the co	ombaci disk, see rile location in red print in			
digits for county) - (1 digit for well classification	igh Capacity Well File No.			
	,			
7000.41				
	MISSIE ANSAY ANNA THEMS CAN HAN AN APPLE OF			
	anna situ proportu			
	capacity property.			
	pacity property.			
Reconstruct one or more wells with a capacity greater than 70 gallons per minute.				
Reconstruct one or more wells with a capacity less than 70 gallons per minute on a high capacity property.				
a rate greater than previously approved.				
vells after a change in ownership. (No ap	oplication fee required.)			
er treatment plant. See definitions on pag	ge 5.			
	City PANOLPH  E-Mail Addres  JEFFIN  City PLO  City PLO  City PLO  City PLO  E-Mail Addres  LHEFT  Company  City PLO  E-Mail Addres  LHEFT  Add Title)  Company  City PLO  E-Mail Addres  LHEFT  Add Title)  Company  City PLO  E-Mail Addres  LHEFT  Addres  LHEFT			

		s Information	
and t	he ini	the site status using the internet or the compact disk of departmental well data that is issued to drillers and pump installers formation supplied by the property owner. Internet address is <a href="mailto:dnr.wi.gov/org/water/dwg/dws.htm">dnr.wi.gov/org/water/dwg/dws.htm</a> . Enter YES or NO for each wing questions.	, h
YES	NO M	Has the property boundary changed since the most recent high capacity well approval was issued? If the property is not yet a high capacity property, check NO.	
	×	Has there been a change in well ownership since the last approval was written?  If YES, name of current owner:  Date of purchase:	
	×	Has there been a change in well operator since the last approval was written?  If YES, name of current operator:  Date of change:	
	X	Will a proposed well be connected to a plumbing system that is supplied by other sources (other wells, municipal supply, etc.)? If YES, include a schematic drawing showing backflow protection.	
	×	Is a proposed well within 1,200 feet of a landfill? Determine if there are any landfills nearby, using the well information compact disk FIND feature. Enter the township, range and section of the well location. If the well is near a section line, also check the adjacent section or sections.  If YES, list the landfill site ID Number:  OR  Landfill location: (Township/Range/Section)	
		OR	
	×	Is a proposed well on a property that has a contaminated site? If YES, list the BRRTS (Bureau for Remediation and Redevelopment Tracking System) Number here and specify if the site is open or closed:	
	X	Is a proposed well on a property that has a groundwater use restriction recorded on the deed? If YES, list the BRRTS number, as assigned to the contaminated site by the DNR remediation and redevelopment program:	
	X	Is a proposed well on a property that is listed on the department's registry of closed remediation sites for a groundwater us restriction? See compact disk or internet at <a href="maps.dnr.state.wi.us/imf/dnrimf.jsp?site=brrts">maps.dnr.state.wi.us/imf/dnrimf.jsp?site=brrts</a> . If YES, list the BRRTS Number here:	;e r
	X	Is a proposed well to be used for a public water supply system that serves 25 or more people? See definition of a "public water system" in the definitions section on page 5.	
	X	Is a proposed well to be installed within a special casing area? Refer to the list of special casing areas that is published by the department and/or contact the regional DNR office.	
	X	Has the number of wells or pumping capacity in an existing well increased since the most recent high capacity well approval was issued?	
	X	Has the number of wells decreased since the most recent high capacity well approval? If the property is not yet a high capacity property, check NO.	
	X	Is a non-pressurized storage vessel (i.e. reservoir) other than a pond proposed or in use?	
	X	Will the well discharge directly to a storage pond?	
	X	Is a pressurized tank with a capacity greater than 1,000 gallons proposed or in use?	
	X	Is a proposed well within 1,200 feet of a quarry?	
	X	Is a proposed well located in a floodplain or floodway?	
	X	Are any existing well installations on the high capacity property out of compliance with Chapter NR 812, Wisconsin Administrative Code?	
	X	Will the well be used as a source of bottled water?	
	Ø	Are you seeking a variance to construct a well that has a capacity of less than 70 gallons per minute to low capacity well construction standards?	

☐ ☑ Is the property served by a community water system?

Existing Well Information			<del></del>			
Enter the following information on	all existing wells on the	property, if more than four	wells, submit a	ditional sh	ieets:	<del></del>
Well Name Assigned by Well Owner (North Well, etc.):	HOUSE WELL	TRRIGATION WELL				
Well Number Assigned by Owner (001, 002, etc.):	<i>∞1</i>	wz.			N	
WI Unique Well Number or NA if no number:	ME071	YI761				<u> </u>
Permanent DNR High Capacity Well Number or N/A if none:	NA	72580				<del></del>
Public Water System ID Number, If Public (if not public, NONE):	HONE	NONE				
Potable or Non-Potable Use:	POTABLE	NON-POTABLE				
Type of Well (Inigation, Industrial, Residential, etc.):	RESIDENTIAL	IPPIGATION				
Requested Average Water Usage per Day in Gallons:	500	324,000				***************************************
Requested Maximum Water Usage per Day in Gallons:	1000	648,000				
Seasonal? (April to October, Year Around, etc.):	YEAR ROWN	APRIL TO OCTOBER				
Approved Pumping Capacity II Previously Approved (gpm):	20	450	4			
Current Pump Type & Capacity (gpm):	SUBMERSIBLE !	2 SUBMERSIBLE	450			
Proposed Pump Type & Capacity If Change Requested (gpm):	NA	NA				
Pump Discharge Type (Over Top of Casing Seal, Pilless, etc.):	PITLESS ADADTO	2 OF CADING				
Discharge Location (Building Pressure Tank, Pond, etc.):	BULDING PRED	SISTEM SISTEM				
Height of Well Casing Above Ground in Inches:	18.0	24.0				
Potential Contaminant Sources and Distance:	BYLOINE 15.0				_	
Well Loc: Quarter Quarter Section	NE. 1/4 01 5W 1/4	JE 1/4 01 NW 1/4	1/4 of	1/4	1/4 0	1/4
or Government Lot Number						
Section or French Long Lot No.	26	26				
Township:	T 12 N	T /2 N	τ	N	ſ <u></u>	N
Range (Select E or W):	R 10 ME W		R [	JE 🗌 WI	ત	DE DW
Latitude (Degrees and Minutes)	43.28575	43 . 28.567	<u> </u>	<u></u>	0	
Longitude (Degrees and Minutes)	089.16.560	089. <u>[6.733</u> .	·	<u> </u>		
GPS Map Datum (WGS84, WTM91, etc.)	6P500B	6,05008		L		
WTM91, etc.) Include as much of the following inform well construction record is attached, and	nation as practical for wells the oplicant may leave the follow	nty 10175 grains	tion records allaci	ned to the ap	oplication, now	rever if the
Date of Construction:	1115/98	1/2/13				
Drilled by (Name of Drilling Firm):	SAMS	SAMS				
Drilling Method(s) (Rotary, Percussion, Etc.)	MUO ROTARA	ROTARY AIR				•
Well Depth in Feel:	i23	242			·	
Upper Enlarged Drillhole Diameter in Inches and Depth in Feet:	8.8 63.0 Inches. feet	/2,0 39,0 inches, feet	Inches.	feat	inches.	feet
and Depth in Feet:	6,0 123.0 Inches, feet	11.78 242,0 Inches. feet	Inches,	feet	inches.	feet
Well Casing Diameter in Inches and Depth in Feet:	6.0 63 0 inches, feet	6.0 41.0 feet	inches.	feet	inches,	feet
Well Casing Material and Wall Thickness:	STEEL/.ZEO	STEEL 1:280			····	
Annular Space Material Between Casing and Drithole Wall:	NEAT CEMENT					
Is There a Well Screen (Y or N) If so, Screen Material?:	N	N				

Proposed Well Information				\$ 1.5 \$		1 1 1	***.	
Enter the following information on all I	oroposed wells on	the property, if r	nore than two wel	ls or alternate co	nstruction,	submit add	litional she	ets:
Well Name Assigned by Well Owner (North Well, etc.):	IRRIE	ATTON WE	<b>E</b> ll					
Well Number Assigned by Owner (001, 002, etc.):								
Well Loc: Quarter Quarter Section or French Long Lot Number	5E 1/4 of	ろW 1/4 of 8	Section <b>26</b>	1/4	of	1/4 of S	ection	
or Government Lot Number								
Township & Range (Select E or W)		N, R 10	NE DW	<u>/ T</u>	N, R		<u> </u>	<u> </u>
Latitude (Degrees and Minutes)	<u>43 °</u>		320 .		0		<del></del>	
Longitude (Degrees and Minutes)	<u> </u>		758 '	ļ <u> — — —                              </u>	0			
GPS Map Datum (WGS84, WTM91, etc.)	GPJ	008						
Type of Well (Irrigation, Industrial, Residential, etc.):	TYPE: TERIE	ATTON	Potable Non-Potable	Туре:			Potabl Non-P	
Drilling Method(s) (Rotary, Percussion, Etc.):	ROTARY	•						
Anticipated Geological Materials and D	epths that Are Expe	cted During Drilli	ng:					
Material and Depth Interval:	SANO	from	0' to 2	1	fr	om	0 ¹ to	
Material and Depth Interval:	SAND+CLA!	** ****	10	I.	fr	om	<u>' to</u>	'
Material and Depth Interval:	SAMO	from 18		ı	fr	om	' to	
Material and Depth Interval:	SANDSTONE	from <b>36</b>	1 to 242	1	fr	om	' to	<u> </u>
Material and Depth Interval:		from	' to	<u>'</u>	fr	rom	' to	1
Drillhole Diameter and Anticipated Dep				1				
Diameter and Depth Interval:	8.0	from 🗢	10 ZZO		fr	rom	' to	
Diameter and Depth Interval:		from	' to	1	fr	rom	' to	
Diameter and Depth Interval:		from	¹ to	<u> </u>	<u>fr</u>	rom	' to	
Permanent Casing or Liner Diameter a								
Diameter and Wall Thickness at Depth Interval:	8,0 "diam/,3	22" thick	0' to 50	' " diam	<u>"</u>	thick	0 ' to	1
Diameter and Wall Thickness at Depth Interval:	" diam/	" thick_	' to	' " diam	<u>"</u>	thick	' to	
Permanent Casing or Liner Material, I	f Used:							
Casing Joints (Welded, T and C, etc.)	WELDED							
Material and Weight	STEEL	128.55 s/foot	0' to 50		1	lbs/foot	0 ' to	
at Depth Interval:  Material and Weight	0.000							,
at Depth Interval:		/ Ibs/foot	' to	<u> </u>	1	lbs/foot	' to	
Screen Material, Slot Size in Inches and Depth Interval or N/A if none:	NA	1 "1	' to	1	1	"1	' to	
Casing to Screen Joint (Welded, T and C, K Packer, etc.)	NA							
Annular Space Material Including Filte	r Pack Material, If U	sed:		1				
Material and Depth Interval:			0' to				0 ' to	
Material and Depth Interval:			' to	-		<u>/</u>	' to	
Proposed Average Water Usage Per Day in Gallons:	288,000		(20069	<u>%)</u>				
Proposed Maximum Water Usage Per Day in Gallons:	576,000		(400 GA	ابر)				
Seasonal? (April to October, Year Around, etc.):	APRILTO	OCTUBE	2				,	
Proposed Pump Type & Capacity (gpm):	SUBMERSI	BLE/ 40	06PM					
Discharge Type (Over Top of Casing Seal, Pitless Adapter or Unit):		POFCA	5/106					
Discharge Location (Building Pressure Tank, Pond, etc.):	THE COUNT				Semi-			
Distance and Direction to Nearest Public Utility Well & Well Name:	OF WHOCE	UMETHINES UA MUNICI	PAL WELL	BF381				
Distance to Other Potential	25 MILES P	JORTH VILL	AGE OF					
Contaminant Sources: Distance to Other Potential	PARDEEVIL	AZ CATIVO	/ <u>·</u>					
Contaminant Sources:								<b></b>
Leave Blank, for Department use only								

## Required Attachments

- Attach one of the maps described in A. or B., below. Plot the existing and proposed well locations on the map. For wells that have a Wisconsin Unique Well Number or a Permanent High Capacity Well Number, plot the well locations with one of those numbers.
  - A. Copy of a plat map with the property boundary clearly shown. If the property is contiguous with properties owned by the same owner in another township, include a copy of that township map too, showing the property boundaries. If the property owner listed on the plat map is different from the current owner, list the date or dates, that the current property owner purchased the property on the map.
  - B. Map of the property prepared by a licensed land surveyor and the property description as described by the surveyor.
- 2. Sketch map showing all of the following that are planned or exist within 300 feet of each proposed well: proposed well location; other wells; property boundary; wetlands; potential contaminant sources (septic tank and drainfield, petroleum storage tanks, sewer lines, etc.); buildings and north arrow. If no pertinent features to map within 300 feet of the proposed well, for example an irrigation well in the middle of a field, state that on the property map listed above and plot the well locations on that map.
- 3. Any well construction records available for existing wells on the property. Do not attach any well construction records for wells that are not on the property. If a Wisconsin Unique Well Number has not been assigned, write a well name or site well number on the record that correlates to the well name or number plotted on the maps.
- 4. For proposed wells with a capacity greater than 400 gallons per minute, include the performance curve or performance table that is provided by the pump manufacturer. If the pump will be a lineshaft turbine, provide a curve with the same rpm as the motor under full load and list the motor horsepower.
- 5. If more than one well is connected to a common plumbing system, also provide a schematic drawing of the system showing method of preventing backflow. This sketch must include the well discharge (pitless, over top of casing sanitary seal); the water line from the well; pressure tanks; sampling faucets; check valves; backflow preventers; air gaps; manually operated valves; water meters; pressure switches for pumps; and any other pertinent fittings. This schematic drawing must also identify which of these components are buried or above ground. If there is more than one check valve within the well casing, include in-well check valves on the
- 6. If reconstruction of an existing well is proposed, include a diagram of the current well construction and a diagram of the proposed construction.
- 7. If the application is for a high capacity well or wells, a \$500.00 check payable to the Department of Natural Resources, unless the application is only for continued operation after a change of ownership.

### Certification and Applicant Signatures

If the application requests a variance for a well within 1,200 feet of a landfill, a well on a property with a groundwater use restriction, or any other variance to NR 812, Wis. Adm. Code, the property owner must sign the application. If the well operator will install a well on property that he or she does not own, the property owner must also sign the application. Otherwise, an agent of the owner may sign the application.

Unsigned and incomplete applications will not be approved.

By signing this form, the person signing this application certifies that to the best of his or her knowledge, all existing well installations on the property comply with ch. NR 812, Wis. Adm. Code. The person also certifies that to the best of his or her knowledge, all information in the application is accurate and correct.

Name - Print JEFF KRAMER	Check Box	Agent of the Owner
Signature of Horner	Company SAM'S WELL DRILLING	Date 12/20/13
Application submittal. Mail completed applicat Section - DG/2, PO Box 7921, Madison WI 53	ion and payment with all required attachments to DNR, Priva 707-7921.	

### Definitions from Wisconsin Administrative Codes

"Public water system" means a system for the provision to the public of piped water for human consumptions if such system has at least 15 service connections or regularly serves an average of at least 25 individuals daily at least 60 days per year. A public water system is either a community water system or a non-community water system. Such system includes: (a) Any collection, treatment, storage, and distribution facilities under control of the operator of such system and used primarily in connection with such system, and (b) Any collection or pretreatment storage facilities not under such control which are used primarily in connection with such system. [NR 812.07(80)]

"School" means a public or private educational facility in which a program of educational instruction is provided to children in any grade or grades from kindergarten through the 12th grade. Water systems serving athletic fields, school forests, environmental centers, home-based schools, day-care centers and Sunday schools are not school water systems. [NR 812.07(94)]

"Wastewater treatment plant" means any facility provided for the treatment of sanitary or industrial wastewater or both. The following types of facilities are excluded: (a) Facilities defined as private sewage systems in s. 145.01(12), Stats. (b) Pretreatment facilities from which effluent is directed to a public sewer system for treatment. (c) Industrial wastewater treatment facilities which consist solely of a land disposal system. [NR 114.03(14)]

<sup>&</sup>quot;High capacity well" means a well constructed on a high capacity property. [NR 812.07(51)]

<sup>&</sup>quot;High capacity property" means one property on which a high capacity well system exists or is to be constructed. [NR 812.07(52)]

<sup>&</sup>quot;High capacity well system" means one or more wells, drillholes or mine shafts used or to be used to withdraw water for any purpose on one property, if the total pumping or flowing capacity of all wells, drillholes or mine shafts on one property is 70 or more gallons per minute based on the pump curve at the lowest system pressure setting, or based on the flow rate. [NR 812.07(53)]



5

4

E

II)

呕


IE

TE

115

ILE

# WYO CENA T-12-N • R-10-E



© Farm & Home Publishers, Ltd.

See Page 58-60 For Additional Names.

